



LED SIGNAGE *solutions*



2023

STENZEL CONTENT CONTOUR

LED Modules

- 3** Small Size
- 7** Lumiter Family
- 15** Flaga Family
- 21** Opticor Family
- 27** Luno Family
- 33** Planar Family
- 39** Other Modules
- 47** Elypso Family

59 LED Neons

- 61** Basic 6x12
- 63** Extron 7.5x13
- 64** RGB 8x16
- 65** DBD 10x20

67 LED Strips

- 69** Universal
- 70** High Power
- 70** Edge-lit
- 70** Side view
- 70** ZigZag
- 71** COB
- 71** Linear
- 71** CCT
- 72** Full Colour
- 73** Digital
- 73** Water Resistant
- 74** LED Connectors
- 74** Low voltage wires

75 Power Tracks

76 Shelf Lighting

77 Contour Lighting

79 Animade

81 POSM

83 Power Supplies

- 85** Revelis
- 88** Mean Well

91 LED Controllers

- 93** Mi-Light
- 96** Other

97 Photo Gallery





SMALL SIZE MODULES

back-lit modules for small channel
letters and narrow shaped objects

05 epiQ

06 Nano


e 3-9 cm
channel letters

epiQ

small in size, big at heart



Dimensions




Logistics data

Chain	Bag	Box
50 pcs	500 pcs	6000 pcs
0.1 kg	1 kg	12 kg
2.5 m	25 m	300 m

No. of modules in 1 m: **20 pcs**

Application



Area: **0.04 m²**
 No. of modules: **21 pcs**
 Lumen output: **840 lm**
 Power usage: **5.04 W**


NOTE: the exact number of modules depends on the materials used and the effect we want to achieve

Nano

the smallest footprint module



Dimensions




Logistics data

Chain	Bag	Box
50 pcs	200 pcs	6000 pcs
0.04 kg	0.17 kg	5.16 kg
2.3 m	9.2 m	276 m

No. of modules in 1 m: **21.74 pcs**

Application



Area: **0.04 m²**
 No. of modules: **27 pcs**
 Lumen output: **783 lm**
 Power usage: **8.1 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve



LUMITER MODULE FAMILY

groundbreaking luminous efficacy
of 156 lm/W along with the newly
designed lens

- 09** Lumiter¹ Lite
- 10** Lumiter¹
- 11** Lumiter²
- 12** Lumiter³
- 14** Lumiter⁴

e **3-8 cm**
channel letters / lightboxes


Lumiter¹ Lite

extra small channel tubing



0.24W 37lm 156 lm/W < 170° IP67 5 YEAR warranty CURRENT STABILIZATION PWM 12V DC

Dimensions




Logistics data

Chain	Bag	Box
50 pcs	250 pcs	3000 pcs
0.35 kg	1.75 kg	21 kg
4 m	20 m	240 m

No. of modules in 1 m: **12.65 pcs**


Application

6 cm
depth



Area: **1 m²**
CC distance: **7 cm**
No. of modules: **210 pcs**
Lumen output: **7770 lm**
Power usage: **50.4 W**

8 cm
depth



Area: **1 m²**
CC distance: **8 cm**
No. of modules: **156 pcs**
Lumen output: **5772 lm**
Power usage: **37.44 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve

e **5-10 cm**
channel letters / lightboxes


Lumiter¹

top notch LED module for small forms



0.36W
 56lm
 156 lm/W
 170°
 IP67
 5 YEAR warranty
 CURRENT STABILIZATION
 PWM
 12V DC

Dimensions




Logistics data

Chain	Bag	Box
40 pcs	240 pcs	2880 pcs
0.28 kg	1.68 kg	20.16 kg
5.4 m	32.4 m	38.88 m

No. of modules in 1 m: **7.46 pcs**


Application

5 cm
depth



Area: **1 m²**
 CC distance: **8 cm**
 No. of modules: **156 pcs**
 Lumen output: **8736 lm**
 Power usage: **56.16 W**

10 cm
depth



Area: **1 m²**
 CC distance: **13.5 cm**
 No. of modules: **56 pcs**
 Lumen output: **3136 lm**
 Power usage: **20.16 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve

e **8-17 cm**
channel letters / lightboxes


Lumiter²

top notch LED module



0.72W
 112lm
 156 lm/W
 170°
 IP67
 5 YEAR warranty
 CURRENT STABILIZATION
 PWM
 12V DC

Dimensions




Logistics data

Chain	Bag	Box
30 pcs	120 pcs	1440 pcs
0.33 kg	1.32 kg	15.84 kg
5.55 m	22.2 m	266.4 m

No. of modules in 1 m: **5.46 pcs**


Application

8 cm
depth



Area: **1 m²**
 CC distance: **16 cm**
 No. of modules: **42 pcs**
 Lumen output: **4704 lm**
 Power usage: **30.24 W**

15 cm
depth



Area: **1 m²**
 CC distance: **18.5 cm**
 No. of modules: **30 pcs**
 Lumen output: **3360 lm**
 Power usage: **21.6 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve


e **10-22 cm**
channel letters / lightboxes

Lumiter³

top notch LED module



Dimensions




Logistics data

Chain	Bag	Box
20 pcs	100 pcs	1000 pcs
0.36 kg	1.8 kg	18 kg
4.8 m	24 m	240 m

No. of modules in 1 m: **4.22 pcs**


Application

10 cm
depth



Area: **1 m²**
 CC distance: **18 cm**
 No. of modules: **30 pcs**
 Lumen output: **5040 lm**
 Power usage: **32.4 W**

20 cm
depth



Area: **1 m²**
 CC distance: **24 cm**
 No. of modules: **20 pcs**
 Lumen output: **3360 lm**
 Power usage: **21.6 W**



Lumiter⁴ by **epiLED** 


Lumiter⁴

large channel letters and deep boxes



2W
 312lm
 156 _{lm/W}
 170°
 IP67
 5 YEAR warranty
 CURRENT STABILIZATION
 PWM
 24V DC

Dimensions




Logistics data

Chain	Bag	Box
20 pcs	40 pcs	640 pcs
0.24 kg	1.44 kg	20.16 kg
7 m	14 m	224 m

No. of modules in 1 m: **2.8 pcs**


Application

15 cm
depth



Area: **1 m²**
 CC distance: **29 cm**
 No. of modules: **12 pcs**
 Lumen output: **3744 lm**
 Power usage: **24 W**

45 cm
depth



Area: **1 m²**
 CC distance: **33 cm**
 No. of modules: **9 pcs**
 Lumen output: **2808 lm**
 Power usage: **18 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve



FLAGA MODULE FAMILY

back-lit modules with 175° lens

- 18** Flaga 0.65W
- 19** Flaga 1W
- 20** Flaga 1W 24V

Flaga 0.65W by **epiLED** 

BARBERSHOP

 FADE ZONE

U13

CLOSED


Fade Zone – Barbershop / Wrocław / Poland
Made by Advertising Agency VIZER Wrocław

Flaga 0.65W

perfect for tension graphic systems



Dimensions




Logistics data

Chain	Bag	Box
30 pcs	120 pcs	2400 pcs
0.24 kg	0.96 kg	19.2 kg
6 m	24 m	480 m

No. of modules in 1 m: **5 pcs**


Application

6 cm
depth



Area: **1 m²**
CC distance: **11 cm**
No. of modules: **90 pcs**
Lumen output: **5580 lm**
Power usage: **58.5 W**

10 cm
depth



Area: **1 m²**
CC distance: **20 cm**
No. of modules: **25 pcs**
Lumen output: **1550 lm**
Power usage: **16.25 W**


NOTE: the exact number of modules depends on the materials used and the effect we want to achieve

Flaga 1W

perfect for day & night letters



Dimensions




Logistics data

Chain	Bag	Box
30 pcs	120 pcs	2400 pcs
0.24 kg	0.96 kg	19.2 kg
7.95 m	31.8 m	636 m

No. of modules in 1 m: **3.77 pcs**


Application

8 cm
depth



Area: **1 m²**
CC distance: **15 cm**
No. of modules: **42 pcs**
Lumen output: **3864 lm**
Power usage: **40.32 W**

15 cm
depth



Area: **1 m²**
CC distance: **25 cm**
No. of modules: **16 pcs**
Lumen output: **1472 lm**
Power usage: **15.36 W**


NOTE: the exact number of modules depends on the materials used and the effect we want to achieve

Flaga 1W

best solution for stretch ceilings



Dimensions




Logistics data

Chain	Bag	Box
30 pcs	120 pcs	2400 pcs
0.24 kg	0.96 kg	19.2 kg
6 m	24 m	480 m

No. of modules in 1 m: **5 pcs**


Application

8 cm
depth



Area: **1 m²**
CC distance: **15 cm**
No. of modules: **42 pcs**
Lumen output: **3864 lm**
Power usage: **40.32 W**

15 cm
depth



Area: **1 m²**
CC distance: **25 cm**
No. of modules: **16 pcs**
Lumen output: **1472 lm**
Power usage: **15.36 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve



OPTICOR MODULE FAMILY

unrivalled LED module of recent
years

- 23** Opticor¹
- 24** Opticor²
- 26** Opticor³


e **5-10 cm**
channel letters / lightboxes

Opticor¹

quality specimen for years



Dimensions




Logistics data

Chain	Bag	Box
50 pcs	300 pcs	4200 pcs
0.24 kg	1.44 kg	20.16 kg
6.9 m	41.4 m	579.6 m

No. of modules in 1 m: **7.81 pcs**


Application

5 cm
depth



Area: **1 m²**
 CC distance: **7 cm**
 No. of modules: **210 pcs**
 Lumen output: **9450 lm**
 Power usage: **105 W**

10 cm
depth



Area: **1 m²**
 CC distance: **13,5 cm**
 No. of modules: **56 pcs**
 Lumen output: **2520 lm**
 Power usage: **28 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve
 Given data refers to white colour

e **8-17 cm**
channel letters / lightboxes


Opticor²

quality specimen for years



0.96W
 90lm
 160°
 IP67
 5 YEAR warranty
 CURRENT STABILIZATION
 PWM
 12V DC

Dimensions




Logistics data

Chain	Bag	Box
40 pcs	200 pcs	2400 pcs
0.3 kg	1.5 kg	18 kg
7.4 m	37 m	444 m

No. of modules in 1 m: **5.37 pcs**


Application

8 cm
depth



Area: **1 m²**
CC distance: **13 cm**
No. of modules: **56 pcs**
Lumen output: **5040 lm**
Power usage: **56 W**

15 cm
depth



Area: **1 m²**
CC distance: **18,5 cm**
No. of modules: **30 pcs**
Lumen output: **2700 lm**
Power usage: **30 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve
Given data refers to white colour

Opticor¹ + Opticor² by **epiLED** 

U-Dżong

PUB & RESTAURACJA
tel. 71/ 71 42 421

 **Wz delivery**
Dostawa na telefon



U-Dżong / pub & restaurant / Wrocław / Poland
Made by Advertising Agency VIZER Wrocław


e **10-22 cm**
channel letters / lightboxes

Opticor³

quality specimen for years



Dimensions




Logistics data

Chain	Bag	Box
30 pcs	120 pcs	1920 pcs
0.34 kg	1.35 kg	18.4 kg
7.2 m	28.8 m	460.8 m

No. of modules in 1 m: **4.16 pcs**


Application

10 cm
depth



Area: **1 m²**
 CC distance: **17 cm**
 No. of modules: **36 pcs**
 Lumen output: **4860 lm**
 Power usage: **54 W**

22 cm
depth



Area: **1 m²**
 CC distance: **24 cm**
 No. of modules: **16 pcs**
 Lumen output: **2160 lm**
 Power usage: **24 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve
 Given data refers to white colour



LUNO MODULE FAMILY

most versatile LED modules

30 Luno 0.72W

32 Luno 1.08W

BBANG  HOUSE

Luno 0.72W by **epiLED** 

Bbang House / bakery / Wrocław / Poland
Made by Advertising Agency VIZER Wrocław


e **6-15 cm**
channel letters / lightboxes

Luno 0.72W

blockbuster



Dimensions




Logistics data

Chain	Bag	Box
40 pcs	120 pcs	1440 pcs
0.51 kg	1.54 kg	18.43 kg
7.84 m	23.52 m	282.24 m

No. of modules in 1 m: **5.1 pcs**


Application

6 cm
depth



Area: **1 m²**
 CC distance: **11 cm**
 No. of modules: **81 pcs**
 Lumen output: **5265 lm**
 Power usage: **58.32 W**

12 cm
depth



Area: **1 m²**
 CC distance: **19,5 cm**
 No. of modules: **25 pcs**
 Lumen output: **1625 lm**
 Power usage: **18 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve
 Given data refers to white colour

Luno 1.08W by **epiLED**




Investa / stainless steel and aluminum distributor / Wrocław / Poland
Made by Advertising Agency VIZER Wrocław

Luno 1.08W

new family member



Dimensions




Logistics data

Chain	Bag	Box
30 pcs	120 pcs	1440 pcs
0.38 kg	1.54 kg	18.43 kg
5.58 m	22.32 m	267.84 m

No. of modules in 1 m: **5.37 pcs**


Application

7 cm
depth




Area: **1 m²**
 CC distance: **15 cm**
 No. of modules: **42 pcs**
 Lumen output: **5250 lm**
 Power usage: **45.36 W**


15 cm
depth



Area: **1 m²**
 CC distance: **18.6 cm**
 No. of modules: **25 pcs**
 Lumen output: **3125 lm**
 Power usage: **27 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve





PLANAR MODULE FAMILY

back-lit boards for slim
applications

- 35** Planar Net 3W
- 36** Planar Net 6.5W
- 37** Planar Ceiling
- 38** Planar Board RGB





3.5-10 cm
lightboxes / stretch ceilings

Planar Net 3W

for extra slim lightboxes




Dimensions




Application

4 cm
depth



8 cm
depth



Area: **1 m²**
CC distance: **8 cm**
No. of modules: **12 pcs**
Lumen output: **3120 lm**
Power usage: **36 W**

Area: **1 m²**
CC distance: **8 cm**
No. of modules: **12 pcs**
Lumen output: **3120 lm**
Power usage: **36 W**

Logistics data

Chain	Bag	Box
10 pcs	10 pcs	120 pcs
1.1 kg	1.1 kg	13.2 kg

No. of modules in 1 m: **1.05 pcs**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve





6-15 cm
lightboxes / stretch ceilings

Planar Net 6.5W

for extra slim lightboxes




Dimensions




Application

6 cm
depth



10 cm
depth



Area: **1 m²**
CC distance: **10 cm**
No. of modules: **10 pcs**
Lumen output: **6000 lm**
Power usage: **65 W**

Area: **1 m²**
CC distance: **12 cm**
No. of modules: **8 pcs**
Lumen output: **4800 lm**
Power usage: **78 W**

Logistics data

Chain	Bag	Box
10 pcs	10 pcs	120 pcs
1.1 kg	1.1 kg	13.2 kg

No. of modules in 1 m: **1.05 pcs**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve





10-20 cm
lightboxes / stretch ceilings

Planar Ceiling


for stretch ceilings



Dimensions



Application



Logistics data

Chain	Bag	Box
10 pcs	10 pcs	130 pcs
1.1 kg	1.1 kg	14.3 kg

No. of modules in 1 m: **1.19 pcs**

No. of modules: **8 pcs**
Lumen output: **2400 lm**
Power usage: **24 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve

6-15 cm
lightboxes / stretch ceilings

Planar Board RGB

colour changes on vast surface



14.4W

170°



IP20

3 YEAR warranty

PWM


12V DC

Dimensions




Application

6 cm
depth



Area: **1 m²**
CC distance: **6 cm**
No. of modules: **15 pcs**
Power usage: **216 W**

15 cm
depth



Area: **1 m²**
CC distance: **18 cm**
No. of modules: **5 pcs**
Power usage: **72 W**

Logistics data

Chain	Bag	Box
-	10 pcs	120 pcs
-	0.59 kg	7.08 kg

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve



OTHER MODULES

back-lit modules for various
applications

- 41** Volton
- 42** Stelar
- 44** Triglo
- 45** Disco RGB
- 46** Disco RGBW


Volton

one step closer to perfection



0.48W
 53lm
 170°
 IP67
 5 YEAR warranty
 CURRENT STABILIZATION
 PWM
 24V DC

Dimensions




Logistics data

Chain	Bag	Box
40 pcs	120 pcs	1920 pcs
0.36 kg	1.09 kg	17.5 kg
4.44 m	13.32 m	134.4 m

No. of modules in 1 m: **9 pcs**


Application

5 cm
depth



Area: **1 m²**
CC distance: **10 cm**
No. of modules: **100 pcs**
Lumen output: **5300 lm**
Power usage: **48 W**

10 cm
depth



Area: **1 m²**
CC distance: **20 cm**
No. of modules: **45 pcs**
Lumen output: **2385 lm**
Power usage: **21.6 W**


NOTE: the exact number of modules depends on the materials used and the effect we want to achieve

Stelar

the most economical LED module



Dimensions




Logistics data

Chain	Bag	Box
20 pcs	160 pcs	1920 pcs
0.17 kg	1.33 kg	15.94 kg
3.56 m	28.48 m	341.76 m

No. of modules in 1 m: **5.6 pcs**


Application

7 cm
depth



Area: **1 m²**
CC distance: **9 cm**
No. of modules: **121 pcs**
Lumen output: **7865 lm**
Power usage: **87.12 W**

12 cm
depth



Area: **1 m²**
CC distance: **15 cm**
No. of modules: **42 pcs**
Lumen output: **2730 lm**
Power usage: **30.24 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve
Given data refers to white colour

NANA'S

korean
kitchen&bar

Stelar by **epiLED** 


NANA's Korean Kitchen & Bar / Wrocław / Poland
Made by Advertising Agency VIZER Wrocław

Triglo

homogenous light output



Dimensions




Logistics data


Chain	Bag	Box
20 pcs	40 pcs	560 pcs
0.5 kg	1 kg	14 kg
5.82 m	11.64 m	162.96 m

No. of modules in 1 m: **3.4 pcs**

Application



Area: **1 m²**
CC distance: **22 cm**
No. of modules: **20 pcs**
Lumen output: **2600 lm**
Power usage: **30 W**



Area: **1 m²**
CC distance: **25 cm**
No. of modules: **16 pcs**
Lumen output: **2080 lm**
Power usage: **24 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve

e **10-20 cm**
channel letters / lightboxes

Disco RGB

for decorative lighting



0.72W

120°

IP67


5 YEAR warranty

CURRENT STABILIZATION

PWM

12V DC

Dimensions




Logistics data

Chain	Bag	Box
20 pcs	120 pcs	1440 pcs
0.2 kg	1.2 kg	14.4 kg
3.52 m	21.12 m	253.44 m

No. of modules in 1 m: **5.68 pcs**


Application

10 cm
depth



Area: **1 m²**
CC distance: **10 cm**
No. of modules: **100 pcs**
Power usage: **72 W**

15 cm
depth



Area: **1 m²**
CC distance: **12 cm**
No. of modules: **64 pcs**
Power usage: **46.08 W**


NOTE: the exact number of modules depends on the materials used and the effect we want to achieve

Disco RGBW

for decorative lighting



Dimensions




Logistics data

Chain	Bag	Box
20 pcs	80 pcs	640 pcs
0.24 kg	0.96 kg	7.68 kg
3.56 m	14.24 m	113.92 m

No. of modules in 1 m: **5.6 pcs**


Application

10 cm
depth




Area: **1 m²**
CC distance: **10 cm**
No. of modules: **200 pcs**
Power usage: **192 W**

15 cm
depth



Area: **1 m²**
CC distance: **12 cm**
No. of modules: **64 pcs**
Power usage: **61.44 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve







ELYPSO MODULE FAMILY

edge lighting modules for
single- and double-sided
lightboxes

- 49** Elypso 1.2W
- 50** Elypso 1.5W
- 51** Elypso 2.8W
- 52** Elypso 3W
- 53** Elypso 4.5W
- 54** Elypso 7W
- 56** Elypso Uni Board
- 57** Elypso Board 22
- 58** Elypso Board 32




Elypso 1.2W

for edge-lit applications with up to 1 m throw



Dimensions




Logistics data

Chain	Bag	Box
30 pcs	120 pcs	1440 pcs
0.3 kg	1.2 kg	14.4 kg
3 m	12 m	14.4 m


No. of modules in 1 m: **10 pcs**

Application



No. of modules: **20 pcs**
Lumen output: **2300 lm**
Power usage: **24 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve



8-13 cm
singlesided



10-15 cm
doublesided

Elypso 1.5W

for edge-lit applications with
up to 2 m throw



1.5W



120lm



56°
x 12°


IP 67

5 YEAR
war ranty



12V
DC

Dimensions




Logistics data

Chain	Bag	Box
30 pcs	60 pcs	600 pcs
0.53 kg	1.05 kg	10.5 kg
5.46 m	10.92 m	109.2 m


No. of modules in 1 m: **5.5 pcs**

Application



No. of modules: **20 pcs**
Lumen output: **2400 lm**
Power usage: **30 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve




Elypso 2.8W

for edge-lit applications with up to 3 m throw



Dimensions




Logistics data

Chain	Bag	Box
18 pcs	54 pcs	540 pcs
0.59 kg	1.78 kg	17.82 kg
3.53 m	10.58 m	105.8 m

No. of modules in 1 m: **5.07 t pcs**
Can be cut every **3 pcs**

Application



No. of modules: **18 pcs**
Lumen output: **3600 lm**
Power usage: **50.4 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve



10-16 cm
singlesided




12-20 cm
doublesided

Elypso 3W

for edge-lit applications with
up to 3.5 m throw



Dimensions




Logistics data

Chain	Bag	Box
20 pcs	20 pcs	320 pcs
0.79 kg	0.79 kg	12.7 kg
4 m	4 m	64 m

No. of modules in 1 m: **4,95 pcs**

Application



No. of modules: **16 pcs**
Lumen output: **3520 lm**
Power usage: **48 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve



12-25 cm
singlesided



15-30 cm
doublesided

Elypso 4.5W

for edge-lit applications with
up to 4 m throw



4.5W



400lm



55°
x
15°


IP 67

5 YEAR
war ranty



12V
DC

Dimensions




Logistics data

Chain	Bag	Box
15 pcs	15 pcs	240 pcs
0.75 kg	0.75 kg	12 kg
3.06 m	3.06 m	48.96 m



No. of modules in 1 m: **4.9 pcs**
Can be cut every **3 pcs**

Application





No. of modules: **18 pcs**
Lumen output: **7200 lm**
Power usage: **81 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve




Elypso 7W

for edge-lit applications with up to 2.4 m throw



Dimensions




Logistics data

Chain	Bag	Box
10 pcs	10 pcs	240 pcs
0.58 kg	0.58 kg	13.92 kg
2.6 m	2.6 m	62.4 m

No. of modules in 1 m: **3.85 pcs**

Application



No. of modules: **12 pcs**
Lumen output: **6960 lm**
Power usage: **84 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve


***YOU ARE SO DARK.
ARE YOU SURE YOU ARE USING
ELYPZO MODULES?***



ELYPZO UNI BOARD by **epiLED** 



6-12 cm
singlesided




8-15 cm
doublesided

Elypso Uni Board

for edge-lit applications with
up to 2 m throw



26W



2500lm



30°
x
13°



IP
20



3
YEAR
warranty




PWM



24V
DC

Dimensions




Logistics data

Chain	Bag	Box
5 pcs	-	60 pcs
0.7 kg	-	8.4 kg
4.73 m	-	56.7 m



No. of modules in 1 m: **1.03 pcs**

Application



No. of modules: **2 pcs**
Lumen output: **5000 lm**
Power usage: **52 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve



Elypso Board 22

for edge-lit applications with up to 2.5 m throw



22W

2400lm

19°
x 9°


IP 20

3 YEAR warranty

CURRENT STABILIZATION

24V DC

Dimensions




Logistics data

Chain	Bag	Box
5 pcs	-	120 pcs
0.48 kg	-	11.52 kg
2.45 m	-	58.8 m

No. of modules in 1 m: **2.04 pcs**

Application



No. of modules: **4 pcs**
Lumen output: **9600 lm**
Power usage: **88 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve

6-12 cm
singlesided

9-15 cm
doublesided

Elypso Board 32

for edge-lit applications with up to 3 m throw



32W

3150lm

19° x 9°


IP20

3 YEAR
warranty

CURRENT STABILIZATION

24V DC

Dimensions




Logistics data

Chain	Bag	Box
5 pcs	-	120 pcs
0.48 kg	-	11.52 kg
2.45 m	-	58.8 m

No. of modules in 1 m: **2.04 pcs**

Application




No. of modules: **4 pcs**
Lumen output: **12600 lm**
Power usage: **128 W**

NOTE: the exact number of modules depends on the materials used and the effect we want to achieve



Neon Room in Złote Tarasy / Warsaw / Poland

Made by  ledsy



LED NEONS

a variety of applications

- 62** Basic 6x12
- 64** Extron 7.5x13
- 65** RGB 8x16
- 66** DBD 10x20



Custom ledart made by  ledsy


Universal accessories (fit to all our LED Neons)



- 1-core wire (**Cu 100%**)
- sold in sets: **2 reels of 5 m**
- **Ø 0.45 mm²**



- 2-core wire (**Cu 100%**)
- sold in **reels of 100 m**
- **Ø 0.5 mm²**




- **support base**
- section length **2.5 cm**
- sold in **strips of 20 pcs**



- **neon cutter**
- **sharpening file** included

Basic 6x12

internal neon with brilliant colour options




IP 40

2 YEAR warranty

12V DC

Dimensions



Lighting surface



Possible colours

WW	WH	PK	LIGHTPK	VL	BL	IBL	GR	YL	OR	RD
~3000K	~5000K	pink	light pink	violet	blue	ice blue	green	yellow	orange	red

Accessories



- basic **end caps**
- **5 pcs / set**
- **various** colours
- **primary** protection



- additional **end caps**
- sold **separately**
- **two versions:** with and without holes for wires
- **enhanced** protection



- basic **mounting holders**
- **5 pcs / set**
- made of **plastic**



- additional **mounting holders**
- sold **separately**
- made of **aluminum alloy**
- dimensions: **30 x 8 x 12 mm**

"Read & Ride" ledon / Wrocław / Poland
Made by KONO Wrocław

JEDŹ



CZYTAJ

NUMER NA DZWIÓK MC... KAZA ← UL. PIŁODOLSKIEGO | PL. KOC...

pod arkadami
- KONO WROCLAW -

Extron 7.5x13

external neon for signage




IP65

2 YEAR warranty

12V DC

Dimensions*



Lighting surface



Possible colours

QW	WW	NW	WH	BL	GR	YL	RD
~2700K	~3000K	~4000K	~6500K	blue	green	yellow	red


Accessories




- basic **end caps**
- **two versions:** with and without holes for wires
- **1 pcs each / set**



- basic **mounting holders**
- made of **plastic**



- additional **mounting holders**
- made of **aluminum alloy**
- dimensions: **30 x 10 x 12 mm**



- additional **mounting holders**
- made of **aluminum alloy**
- dimensions: **1000 x 10 x 12 mm**

* SIZE 6x12: available on request

** CUT SECTION: 8.3 mm: QW, WW, NW, WH, YL | 25 mm: BL, GR, RD

RGB 8x16

colour changing neon



12W/m



3.8cm




5m

IP 40

2 YEAR
warranty

12V
DC

Dimensions



Lighting surface



Possible colours



Accessories




- basic **end caps**
- **5 pcs** / set
- **primary** protection



- additional **end caps**
- sold **separately**
- **enhanced** protection



- basic **mounting holders**
- **5 pcs** / set
- made of **plastic**



- additional **mounting holders**
- sold **separately**
- made of **aluminum alloy**
- dimensions: **50 x 10 x 16 mm**

DBD 10x20

dot-by-dot controllable neon



14.4W/m



10cm




10m

IP 40

2 YEAR warranty

24V DC

Dimensions



Lighting surface



Possible colours

RGB DBD

dot by dot

Accessories



- basic **end caps**
- **primary** protection



- basic **mounting holders**
- made of **plastic**





LED STRIPS


wide range of strips for internal
and external applications

- 69** Universal
- 70** High Power
- 70** Edge lit
- 70** Side view
- 70** ZigZag
- 71** COB
- 71** Linear
- 71** CCT
- 72** Full Colour
- 73** Digital
- 73** Water Resistant

- 74** LED Connectors
- 74** Low voltage wires

Universal strips


EMPI-60-12V



EMPI-60-24V



FlexPI-60-12V




ecoPI-60-5V




ecoPI-60-12V



ecoPF-60-RD/GR/BL/OR-12V



EMPI-120-12V



EMPI-120-24V



FlexPI-120-12V



ecoPI-120-12V



High power strips

EMPA-60-12V




EMPA-120-12V



Edge lit strips

EdgeLite-120-12V



EdgeStrip-120-12V



Side view strips

EMPS-60-12V



EMPS-120-12V



ZigZag strip

ZigZag-60-12V



COB strips

COB-Strip-480-12V-5mm

10W/m
 900lm/m
 CRI>90
 2.5cm
 5mm
 5m
 IP₂₀
 2 YEAR warranty




COB-Strip-480-12V

10W/m
 900lm/m
 CRI>90
 2.5cm
 8mm
 5m
 IP₂₀
 2 YEAR warranty



COB-Strip-480-24V

10W/m
 900lm/m
 CRI>90
 5cm
 8mm
 5m
 IP₂₀
 2 YEAR warranty



COB-Strip-RD/GR/BL/PK-12V

10W/m
 RD, GR, BL, PK
 2.5cm
 8mm
 5m
 IP₂₀
 2 YEAR warranty



Linear strips

LineStrip-240-24V-10W

10W/m
 900lm/m
 CRI>95
 2.5cm
 8mm
 5m
 IP₂₀
 3 YEAR warranty



LineStrip-240-24V-17.2W

17.2W/m
 1500lm/m
 CRI>95
 2.5cm
 8mm
 5m
 IP₂₀
 3 YEAR warranty



CCT strips

DualWhite-120-12V

14.4W/m
 CCT
 2.5cm
 8mm
 5m
 IP₂₀
 2 YEAR warranty










DualWhite-120-24V

14.4W/m
 CCT
 5cm
 8mm
 5m
 IP₂₀
 2 YEAR warranty





Full Colour strips

EMPT-30-RGB-12V

 7.2W/m
  R G B
  10cm
  10mm
  5m
  IP₂₀
 3 YEAR warranty










EMPT-60-RGB-12V

 14.4W/m
  R G B
  5cm
  10mm
  5m
  IP₂₀
 3 YEAR warranty










FlexPT-30-RGB-12V

 7.2W/m
  R G B
  10cm
  10mm
  5m
  IP₂₀
 2 YEAR warranty



FlexPT-60-RGB-12V

 14.4W/m
  R G B
  5cm
  10mm
  5m
  IP₂₀
 2 YEAR warranty



miniRGB-120-24V

 20W/m
  R G B
  5cm
  8mm
  5m
  IP₂₀
 2 YEAR warranty








eco-miniRGB-120-24V

 19W/m
  R G B
  5cm
  8mm
  5m
  IP₂₀
 1 YEAR warranty










FlexPT-60-RGBW-24V

 19.2W/m
  R G B W
  10cm
  12mm
  5m
  IP₂₀
 2 YEAR warranty






ecoPT-60-RGBW-12V

 14W/m
  R G B W
  5cm
  10mm
  5m
  IP₂₀
 1 YEAR warranty



ecoPT-60-RGBW-24V

 14W/m
  R G B W
  10cm
  10mm
  5m
  IP₂₀
 1 YEAR warranty



Digital strip

EMPT-32-DBD-12V




Water Resistant strips

EMPI-60-12V-extrud



EMPI-120-12V-extrud



ecoWI-60-12V



ecoWI-120-12V



Strips standards



- highest class LED **diodes selected for long lifetime**
- **uniform light output** in each of your projects
- **two layer PCB** ensures very good protection against overheating
- self-adhesive **3M** tape
- up to **36 months warranty**



- **selected diodes** with high luminous efficiency
- **great value** for the price
- self-adhesive **3M** tape
- up to **24 months warranty**



- standard diodes
- self-adhesive tape
- **12 months warranty**

LED Connectors

A vast range of LED connectors for LED lighting and for power distribution. WAGO, strip-to-strip, strip-to-wire, 2-pin and 4-pin LED strip connector and many more.

Ask our sale staff for details.




Low voltage wires

Two core wires

- \varnothing : 0.22 mm², 0.35 mm², 0.5 mm², 0.75 mm², 1 mm², 1.5 mm²
- Cu 100%
- Colour: white, black or transparent
- Length: 100 m / 250 m*
- Made in Poland

RGB wires

- \varnothing : 0.5 mm²
- Cu 100%
- Length: 100 m / 250 m*
- Made in China



* available on request

Power Tracks

furniture oriented power tracks

PowerTrack-SLICK

2-wires, high voltage, with power cable

- colour: **white | black**
- length: **2 metres**
- installation: **metal brackets | magnetic tape | double sided duct tape | screws**




PowerTrack-TWIST

2-wires, low voltage, with two end cups

- colour: **white | black**
- length: **2 metres**
- material: **PVC + copper**
- installation: **magnetic tape | double sided duct tape | screws**

Shelf Lighting

combine various options to create your very own light source



ON 7.59 95 6.55

AVILL

1



Contour Lighting

border tubing for demanding objects



5W/m



5.5cm



5.8W/m




14.5cm

IP66

3 YEAR warranty

24V DC

Dimensions



Possible colours

RAL 9016	PMS 1797C	PMS RUBIN RED C	PMS 165C	PMS 2010C	PMS 116C	PMS 348C	PMS 368C	PMS 285C	RAL 9016	RAL 9016
white	red	rubin red	orange	yellow	lemon yellow	dark green	light green	blue	RGB full colour	RGB DBD dot by dot

Accessories



- end **caps**
- **8** colours



- joint / step / outside / inside **corners**
- **8** colours



- mounting **clips**
- made of **plastic**



- male/female **terminal wires**
- length: **190 mm**

SEI ANDERS ALS DIE ANDEREN



Scan codes
to see our
promo clips
with
ANIMATE



YouTube



YouTube

ANIMATE
epiLED

EuroShop Fair Trade
Düsseldorf / Germany

ANIMADE

animate your ad





UNLIMITED SIZE

Do you want the lightbox for your store or would you have rather transform your ceiling into a virtual window? Cover the train station still not big enough? Good. You can dream big with **ANIMADE**.

HIGHER RESOLUTION

First, we animated your static lightbox to let you stand out. Now, we quadruple LED quantity to keep you winning.



FRAME OPTIONS

Black or white only? No. RAL colours for your frame!

CONTROL LIKE NO OTHER

Effect update by USB / Wi-Fi / LAN cable / GSM



WALLS & CEILING LIGHTBOXES

Define the supremacy: human centric lighting & the story telling.


POSM

our experience in customization gives you the flexibility to create brilliant POS solutions

epiLED



Customized sets



• LED Strips on the magnetic tape + wire with connector




• Custom flashing LED badge

• Illuminated price tag + wire + connector



• Planar Connect used to connect Planar Boards RGB (length of module/sections depends on the project)

12V DC 24V DC IP20 3 year warranty



• Section of LED strip + wire with battery holder

I GOT SUPER POWERS!





POWER SUPPLIES

super powers included

85 Revelis

88 Mean Well

REVELIS

LED POWER SUPPLY

SUPER SLIM IP20



- IP20
- plastic housing
- 5 year warranty
- cable w/plug – additional option



DC12V

MODEL	MAX POWER
RVL-30-12	30 W
RVL-60-12	60 W
RVL-100-12	100 W
RVL-150-12	150 W
RVL-180-12	180 W

APPLICATION

thin lightboxes, profiles and furniture lighting (can be mounted on flammable surfaces)

PROTECTIONS

open circuit / short circuit / over load / over temperature* / auto recovery

SAFETY STANDARDS

LVD 2014/35/EU: EN 61347-1:2015-09, EN 61347-2-13:2015-04

EMC 2014/30/EU: EN 61000-3-3:2013-10/A1:2019-10,

EN IEC 61000-3-2:2019-04,

EN 55032:2015-09/A11:2020-07,

EN 55035:2017-09

RoHS 3 2015/863: EN IEC 63000:2019-01

DC24V

MODEL	MAX POWER
RVL-60-24	60 W
RVL-100-24	100 W
RVL-150-24	150 W
RVL-200-24	200 W
RVL-240-24	240 W

* does not apply to RVL-30-12, RVL-60-12 and RVL-60-24

REVELIS

METAL POWER SUPPLY

SUPER SLIM IP66



- IP66
- metal housing
- 5 year warranty
- double-sided wires



DC12V

MODEL	MAX POWER
RMS-30-12	30 W
RMS-45-12	45 W
RMS-75-12	75 W
RMS-100-12	100 W
RMS-150-12	150 W
RMS-200-12	200 W

APPLICATION

thin lightboxes, profiles and furniture lighting (can be mounted on flammable surfaces)

PROTECTIONS

open circuit / short circuit / over load / over temperature / auto recovery

SAFETY STANDARDS

LVD 2014/35/EU: EN 61347-1:2015-09, EN 61347-2-13:2015-04
EMC 2014/30/EU: EN 61000-3-3:2013-10/A1:2019-10,
 EN IEC 61000-3-2:2019-04,
 EN 61547:2009, EN 55015:2013+A1
RoHS 3 2015/863: EN IEC 63000:2019-01

DC24V

MODEL	MAX POWER
RMS-30-24	30 W
RMS-45-24	45 W
RMS-75-24	75 W
RMS-100-24	100 W
RMS-150-24	150 W
RMS-200-24	200 W

REVELIS

LED POWER SUPPLY

PLUG-IN / DESKTOP



- IP20
- plastic housing
- 3 year warranty
- including 1.5m AC cable in EZN models



PLUG-IN

DC12V

MODEL	MAX POWER
EZW-15-12	15 W
EZW-36-12	36 W

APPLICATION
internal usage

PROTECTIONS
short circuit / over load/ over voltage / auto recovery

SAFETY STANDARDS

LVD 2014/35/EU: EN IEC 62368-1:2020-11
EMC 2014/30/EU: EN 61000-3-3:2013-10/A1:2019-10,
 EN IEC 61000-3-2:2019-04,
 EN 55032:2015-09/A11:2020-07,
 EN 55035:2017-09
RoHS 3 2015/863: EN IEC 63000:2019-01

DESKTOP

DC12V

MODEL	MAX POWER
EZN-36-12	36 W
EZN-60-12	60 W
EZN-90-12	90 W
EZN-120-12	120 W



Right from the stock: **LPV, LPH, XLG, HLG, ELG.**

Wide range of other models: **SLD, LRS, APV, LPF and more.**

We are the **official distributor of MEAN WELL** in Poland since 2016.

SLD series

- wide input range: **100~305V AC**
- built-in active **PFC function**
- output current adjustable via **built-in potentiometer**
- protections: **short circuit / over current / over voltage / over temperature**
- can be mounted on flammable surfaces, e.g. wood
- plastic housing with **IP20**
- suitable **for shallow lightboxes, profiles and furniture lighting**
- **3 year** warranty



APV series

- wide input range: **90~264V AC**
- **high reliability** at a low price
- protections: **short circuit / overload / over voltage**
- plastic housing with **IP42**
- suitable **for LED strip applications**
- **2 year** warranty



LPH/LPV series

- wide input range: **180~264V AC (for LPH) | 90~264V AC (for LPV)**
- **high reliability** at a low price
- protections: **short circuit / over current* / over voltage / over temperature**
- plastic housing with **IP67**
- suitable **for LED-based decorative / architectural lighting, LED stage and LED electronic displays**
- **3 year** warranty



* available in LPH series

LPF series

- wide input range: **90~305V AC**
- built-in active **PFC function**
- **high reliability**
- protections: **short circuit / over current / over voltage / over temperature**
- plastic housing with **IP67**
- suitable **for LED lighting with independent applications in dry, damp and wet locations**
- **5 year** warranty



LRS series

- AC input range **selectable by switch**
- high efficiency, long life and **high reliability**
- miniature size and **1U low profile**
- protections: **short circuit / overload / over voltage / over temperature**
- metal housing with **IP20**
- suitable **for industrial applications**
- **3 year** warranty



ELG series

- wide input range: **100~305V AC**
- built-in active **PFC function**
- high efficiency **up to 91%**
- protections: **short circuit / over current / over voltage / over temperature**
- **grounded** housing
- metal housing with **IP67**
- suitable **for outdoor LED lighting applications in dry, damp and wet locations**
- **5 year** warranty



XLG series

- wide input range: **100~305V AC**
- built-in active **PFC function**
- high efficiency **up to 93%**
- surge protection with **6 kV**
- output current adjustable via **built-in potentiometer**
- protections: **short circuit / over current / over voltage / over temperature**
- metal housing with **IP67**
- suitable **for outdoor LED lighting applications in dry, damp and wet locations**
- **5 year** warranty



HLG series

- wide input range: **90~305V AC**
- built-in active **PFC function**
- high efficiency **up to 94%**
- surge protection with **4 kV**
- output current adjustable via **built-in potentiometer**
- protections: **short circuit / over current / over voltage / over temperature**
- metal housing with **IP67**
- suitable **for outdoor LED lighting applications in dry, damp and wet locations**
- **7 year** warranty







LED CONTROLLERS

control your lighting effects

Mi-LIGHT

- 93** Full Colour
- 93** CCT
- 94** Single Colour
- 94** 5 in 1
- 94** Complement
- 95** Remotes

OTHER

- 96** Full Colour epiDBD
- 96** Single Colour
- 96** Twilight Sensors

Controllers

Full Colour



FUT025
Touch RGB LED Control System

- Input: **DC12V-24V**
- Output: **6A / channel (Max. 10A)**
- Control distance: **30 m**



FUT037S
4-Zone RGB LED Strip Controller

- Input: **DC12V-24V**
- Output: **6A / channel (Max. 12A)**



FUT038S
RGBW LED Controller

- Input: **DC12V-24V**
- Output: **6A / channel (Max. 12A)**



FUT043
RGB LED Strip Controller

- Input: **DC12V-24V**
- Output: **6A / channel (Max. 15A)**

CCT



FUT035
Dual White LED Controller

- Input: **DC12V-24V**
- Output: **6A / channel (Max. 10A)**



FUT035S
Dual White LED Controller

- Input: **DC12V-24V**
- Output: **12A / channel (Max. 12A)**

Single Colour



FUT036S
Single Colour LED Controller

- Input: **DC12V-24V**
- Output: **12A / channel (Max. 12A)**



FUT041
Single Colour LED Strip Controller

- Controller Input: **DC12V-24V**
- Remote Input: **3V (2 x AAA batteries)**
- Output: **12A / channel**
- Control distance: **30 m**

5 in 1



LS2
5 in 1 Smart LED Controller

- Input: **DC12V-24V (5.5 x 2.1 mm)**
- Output: **6A / channel (Max. 15A)**



LS2-WP
Waterproof 5 in 1 LED Controller

- Input: **DC12V-36V**
- Output: **6A / channel (Max. 20A)**
- IP Rating: **IP67**

Complements



PA5
5-Channel High Performance Amplifier

- Input: **DC12-24V**
- Output: **6A / channel (Max. 15A)**



WL-BOX1
2.4 GHz Gateway

- Input: **DC5V / 500mA (Micro USB)**



FUT099
Remote Controller Holder

Remotes



FUT006
4-Zone Rotating Wheel Remote

- Input: **3V (2 x AAA batteries)**
- Control distance: **30 m**



FUT087
Touch Dimming Remote

- Input: **3V (2 x AAA batteries)**
- Control distance: **30 m**



FUT089
8-Zone RGB+CCT Remote

- Input: **3V (2 x AAA batteries)**
- Control distance: **30 m**



FUT092
4-Zone RGB+CCT Remote

- Input: **3V (2 x AAA batteries)**
- Control distance: **30 m**



FUT095
4-Zone RGBW Remote (with button)

- Input: **3V (2 x AAA batteries)**
- Control distance: **30 m**



FUT096
4-Zone Touch RGBW Remote

- Input: **3V (2 x AAA batteries)**
- Control distance: **30 m**



B1
4-Zone Single Colour Panel Remote

- Input: **3V (2 x AAA batteries)**
- Control distance: **30 m**



B3
4-Zone RGBW Panel Remote

- Input: **3V (2 x AAA batteries)**
- Control distance: **30 m**

Compatibility of Remotes

	FUT006	FUT087	FUT089	FUT092	FUT095	FUT096	B1	B3	WL-BOX1
FUT037S	✗ NO!	✗ NO!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✗ NO!	✓ YES!	✓ YES!
FUT038S	✗ NO!	✗ NO!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✗ NO!	✓ YES!	✓ YES!
FUT043	✗ NO!	✗ NO!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✗ NO!	✓ YES!	✓ YES!
FUT035	✓ YES!	✗ NO!	✗ NO!	✗ NO!	✗ NO!	✗ NO!	✗ NO!	✗ NO!	✓ YES!
FUT035S	✓ YES!	✗ NO!	✗ NO!	✗ NO!	✗ NO!	✗ NO!	✗ NO!	✗ NO!	✓ YES!
FUT036S	✓ YES!	✓ YES!	✗ NO!	✗ NO!	✗ NO!	✗ NO!	✓ YES!	✗ NO!	✓ YES!
LS2	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✓ YES!
LS2-WP	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✓ YES!	✓ YES!

Other Controllers

Full Colour



EC-DBD

RGB DBD (dot-by-dot)
LED Controller

- IC2048
- Input: **DC5V-24V**
- Control distance: **30 m**



EC-DBD-SSD

RGB DBD (dot-by-dot) LED Controller
with SD card reader

- IC2048
- Input: **DC5V-24V**
- Dedicated software
- Records programs on the SD card

Single Colour



ECD-Max

LED Sync Dimmer

- Input: **DC12V-24V**
- Output: **25A / channel**
- Control distance: **30 m**

Twilight Sensors



Basic

Light dependent relay

- Input: **AC230V**
- Output: **16A**
- IP rating: **IP65**



w/ external probe



Light dependent relay

- Input: **AC230V**
- Output: **16A**
- IP rating: **IP20 + IP65 (external probe)**

Headquarters & warehouse



Trade Fairs



©2023 epiLED. All rights reserved. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract.



Headquarters:

ul. Stanisławowska 27
54-611 Wrocław
Lower Silesian Voivodeship
Poland

www.epiLED.com

Customer Services:

info@epiLED.com

+48 574 97 40 00 🇵🇱
+48 535 04 00 04 🇵🇱
+48 790 33 40 03 🇵🇱
+48 536 01 00 01 🇵🇱
+48 570 00 66 00 🇬🇧 🇨🇪
+48 786 22 00 02 🇩🇪
+48 601 56 25 44 🇮🇹

AUTHORISED UK DISTRIBUTOR



ATHERTON
LED SOLUTIONS

Office Address:

Unit C, 5 Merlin Way,
Quarry Hill Ind Est.
Ilkeston, Derbyshire,
DE7 4RA

www.athertonled.co.uk

Customer Services:

contact@athertonled.co.uk

01159307643
07413387024