



Elypso 4W

12-25 cm
singlesided

15-30 cm
doublesided




12V
DC



56°
x
12°

IP67


5
YEAR
warranty



- constant current **stabilization**
- for edge-lit applications with up to **4 m** throw*
- **side** installations
- for **single- and double-sided** lightboxes
- built-in **heat sink**
- **indoor / outdoor** use
- chain of **20 pcs**




DIMENSIONS



* max value depends on the conditions

Elyпсо 4W




CONNECTION DIAGRAM

one-side power input: **max 20 pcs**



two-side power input: **max 40 pcs**



TECHNICAL SPECIFICATION

Input voltage	12V DC
Nominal power usage per module	4 W
Nominal power usage per chain	80 W
Colour rendering index	≥ 82
Beam angle	$56^\circ \times 12^\circ$
Current stabilization	YES
Dimmable	YES
Module dimensions (L x W x D)	57 x 33 x 20.7 mm
Cable length	145 ± 5 mm
Module length including cable	200 mm
Chain length	4 m
No. of modules in 1 m	5 pcs
Lifespan	~50000 h
Working temperature	$-40^\circ\text{C} \div +60^\circ\text{C}$
IP Rating	IP67
Compliance with	CE / RoHS / WEEE / UL listed
Warranty	5 years

CCT / LIGHT COLOUR*

Abbreviation	Light colour	CCT
WH	daily white	~6500K


* ask our sales team for details of available colours

Elypso 4W



APPLICATION

best for one-sided lightboxes (**12-25 cm depth**) and two-sided lightboxes (**15-30 cm depth**)



No. of modules: **16 pcs**
Lumen output: **6400 lm**
Power usage: **64 W**

NOTE: the exact number of modules depends on the used materials and the effect we want to achieve.

PACKING INFORMATION

	Chain	Bag	Box
Quantity	20 pcs	20 pcs	320 pcs
Gross weight	0.79 kg	0.79 kg	12.7 kg

DOWNLOAD AREA

LED Module installation guide

<https://www.epiled.pl/download/edge-lighting-modules-installation-guide.pdf>

EU Declaration of Conformity

<https://www.epiled.pl/download/deklaracje/eu-declaration-of-conformity-led-modules.pdf>

© 2023 epiLED. All rights reserved. Data is subject to change without notice. | Rev.: 2311

ul. Stanisławowska 27, 54-611 Wrocław • Poland • info@epiLED.pl • www.epiLED.pl